

Episode Surroundscape Series Satellite Speaker (4"-8")

ES-SS4, ES-SS6, ES-SS8

This comprehensive redesign provides significant improvements to hardware and is equipped to withstand dust, dirt, and moisture.



Built to Withstand the Elements

The IP67-rated waterproof enclosure eliminates the intrusion of dust and water while allowing for reliability in the most demanding moisture conditions, including occasional submersion.



Quick-Connect Mounting System

The quick-connect mounting system uses threaded aluminum to connect each speaker to its mount. The new mounting system is 3X stronger than previous generation landscape products.



Integrated Wiring Connector Block

No more messy silicone-filled wire nuts. The integrated wiring connector block with screw-down terminals ensures a reliable long-term connection and is hidden inside the speaker's mounting arm for easy access.

Satellite Speaker Series Specs



Product Specifications	ES-SS4	ES-SS6	ES-SS8
Dimensions (L x W x H)	11.5" x 5.6" x 7.1" 291mm x 142mm x 180mm	13.2" x 7.5" x 9.4" 336mm x 190mm x 240mm	15.0" x 9.3" x 11.7" 380mm x 236mm x 298mm
Weight	2.3kgs /5.1lbs	3.1kgs / 6.8lbs	3.8kgs / 8.3 lbs
Anechoic Frequency Response	115Hz-20kHz	101Hz-20kHz	90Hz-20kHz
Nominal Impedance	8Ohm	8Ohm	8Ohm
Crossover Frequency	3.3kHz	3.1kHz	3.2kHz
Power Peak (1.3x RMS)	95W	130W	180W
Power RMS	75W	100W	140W
Sensitivity	84dB	87dB	89 dB
Tap Switch Settings	7.5/15/30/60W 8Ohm	7.5/15/30/60W 8Ohm	7.5/15/30/60W 8Ohm
Woofer QTY/ Size / Material	4" Polypropylene	6.5" Polypropylene	8" Polypropylene
Woofer Voice Coil Size	1" Voice Coil	1" Voice Coil	1" Voice Coil
Woofer Excursion (Peak to Peak):	8mm	10mm	12mm
Tweeter Size / Materials	1" Titanium	1" Titanium	1" Titanium + 1.5" Aluminum Mid
Speaker Connector Type	Integral Connecting Block	Integral Connecting Block	Integral Connecting Block
U of M (Sold as)	Each	Each	Each
Gift Box Specifications	ES-SS4	ES-SS6	ES-SS8
Gift Box UPC Code	842822067836	842822067829	842822067812
U of M (Sold as)	1	1	1
Gift Box Dimensions	11.2" x 11.2" x 8.3" 285mm x 285mm x 210mm	13.1" x 12.7" x 10.1" 334mm x 323mm x 256mm	15.2" x 14.9" x 12.0" 386mm x 379mm x 304mm
Shipping Weight	2.8kgs /6.1lbs	3.7kgs /8.1lbs	4.5kgs /9.9lbs
Master Carton Specifications	ES-SS4	ES-SS6	ES-SS8
Master Carton UPC Code	842822067836	842822067829	842822067812
Master Carton Qty	4	4	4
Master Carton Dimensions	23.4" x 11.9" x 18.1" 595mm x 303mm x 460mm	26.5" x 13.9" x 21.7" 672mm x 352mm x 552mm	30.9" x 15.9" x 25.5" 784mm x 404mm x 648mm
Shipping Weight	12.1kgs /26.6lbs	16.1kgs /35.3lbs	19.8kgs /43.6lbs

Stake, Surface, and Conduit Specs



ES-SS-STAKE



ES-SS-SURFACE



ES-SS-CONDUIT

Product Specifications	ES-SS-STAKE	ES-SS-SURFACE	ES-SS-CONDUIT
Dimensions (L x W x H)	2.7" x 2.7" x 15.0" 68mm x 68mm x 380mm	1.9" x 1.9" x 1.8" 48 mmx 48mm x 45mm	6.9" x 6.9" x 7.6" 176 mmx 176mm x 194mm
Weight	0.4kgs /0.9lbs	0.1kgs / 0.2lbs	0.7kgs / 1.5 lbs
Gift Box Specifications	ES-SS-STAKE	ES-SS-SURFACE	ES-SS-CONDUIT
Gift Box UPC Code	842822067881	842822067843	842822067904
U of M (Sold as)	1	1	1
Gift Box Dimensions	3.0" x 3.0" x 15.2" 75mm x 75mm x 387mm	2.9" x 2.9" x 2.1" 73mm x 73mm x 53mm	10.3" x 6.8" x 3.3" 261mm x 172mm x 83mm
Shipping Weight	0.4kgs /0.9lbs	0.2kgs /0.4lbs	0.8kgs /1.8lbs
Master Carton Specifications	ES-SS-STAKE	ES-SS-SURFACE	ES-SS-CONDUIT
Master Carton UPC Code	842822067881	842822067843	842822067904
Master Carton Qty	50	100	20
Master Carton Dimensions	31.3" x 15.7" x 16.9" 794mm x 400mm x 428mm	15.4" x 15.4" x 10.3" 390mm x 390mm x 261mm	21.3" x 17.5" x 14.7" 541mm x 445mm x 374mm
Shipping Weight	22kgs /48.3lbs	16.8kgs /36.9lbs	17.2kgs / 37.8 lbs